

## Template for Taxonomic Proposal to the ICTV Executive Committee To create a new Genus in an existing Family

Code<sup>†</sup>  To create a new genus in the subfamily\*

Code<sup>†</sup>  To name the new genus\*

Code<sup>†</sup>  To designate the species   
As the type species of the new genus\*

Code<sup>†</sup>  To designate the following viruses as species of the new genus\*:

Code<sup>†</sup>  To designate the following viruses as tentative species in the new genus\*:

<sup>†</sup> Assigned by ICTV officers

\* repeat these lines and the corresponding arguments for each genus created in the family

### Author(s) with email address(es) of the Taxonomic Proposal

Peter Tattersall, chair of the *Parvoviridae* Study-Group  
peter.tattersall@yale.edu

### New Taxonomic Order

Order  
 Family *Parvoviridae*  
 Subfamily *Densovirinae*  
 Genus *Pefudensovirus*  
 Type Species *Periplaneta fuliginosa densovirus*  
 List of Species in the genus *Periplaneta fuliginosa densovirus*  
*Acheta domestica densovirus*  
 List of Tentative Species in the Genus  
 List of Unassigned Species in the Family

**Argumentation to choose the type species in the genus**

**Species demarcation criteria in the genus**

**List of Species in the created genus**

*Periplaneta fuliginosa densovirus*  
*Acheta domestica densovirus*

**List of Tentative Species in the created genus**

### **Argumentation to create a new genus:**

The NS1 and VP1 trees demonstrate that PfdNV and AdDNV are distinct from other members of the genus *Densovirus*.


### **Origin of the proposed genus name**

The term Pefudensovirus is derived from the initial letters of *Periplaneta* and *fuliginosa*, the proposed type species, plus densovirus.

### **References**

**Annexes:**

**Densovirinae NS1 tree (n=11)**



**Densovirinae VP1 tree (n=11)**

