ICTV – Plant Virus Subcommittee

Study Group on Geminiviruses

- **2002.P110.02:** To change the name of the species *Tomato leaf crumple virus* (ToLCrV) to *Chino del tomate virus* (CdTV).
- Date: 19th July 2002
- From: John Stanley, Chair of the Study Group on Geminiviruses
- Subject: Begomovirus species name change
- Proposal: To change the name of the species *Tomato leaf crumple virus* (ToLCrV) to *Chino del tomate virus* (CdTV).
- Purpose: To recognise that CdTV was the original virus to be isolated, and that this sets the precedent for the species name.

Annex to taxonomic proposal #7

ICTV – Plant Virus Subcommittee Study Group on Geminiviruses

Background

During the 1970s, a disease of tomato prevalent in Sinaloa State, Mexico, was described and referred to as "chino del tomate" (Gallegos, 1978). A culture of the aetiological agent was established, and the associated begomovirus was called Chino del tomate virus (CdTV; Brown and Hine, 1984; Brown et al., 1986; Brown and Nelson, 1988). Subsequently, a begomovirus isolated from tomato growing in the same region of Mexico was found to be distinct from other known viruses on the basis of sequence data, and was referred to as Tomato leaf crumple virus (TLCrV; Paplomatas et al., 1994). No sequence data for CdTV were available at the time, although it was acknowledged that TLCrV was similar to CdTV on the basis of host range and reaction to a panel of monoclonal antibodies (Paplomatas et al., 1994). Fulllength nucleotide sequences are now available for both viruses (Brown et al., 1998; 2000; Jiang et al., 1998), and Koch's postulates have been fulfilled for CdTV (Brown et al., 2000). Sequence comparison indicates that the DNA A components of the viruses share 97.3% identity, implying that they should be considered as strains of the same species according to established demarcation criteria. Hence, the original name assigned to the virus, CdTV, should take precedence over TLCrV, and TLCrV should be designated as a strain of CdTV. It is proposed that the virus isolates adopt the following names:

| Chino del tomate virus | | CdTV |
|---|--------------------|-------------|
| (previously Tomato leaf crumple virus; ToLCrV) Chino del tomate virus | U57458 AF007823 | CdTV |
| (Tomato leaf crumple virus; ToLCRV) | 007100,111007020 | Curv |
| Chino del tomate virus – [B52] | AF226666 | CdTV -[B52] |
| Chino del tomate virus – [H6] | AF226665 | CdTV -[H6] |
| Chino del tomate virus – [H8] | AF226664 | CdTV -[H8] |
| Chino del tomate virus – [IC] | AF101476, AF101478 | CdTV -[H8] |

References

- Brown, J.K. and Hine, R.B. (1984). Geminate particles associated with the leaf curl or 'Chino' disease of tomatoes in coastal areas of Western Mexico. *Phytopathology* **74**, 844.
- Brown, J.K., Goldstein, D.E. and Nelson, M.R. (1986). Partial characterization of a geminivirus isolated from tomato with yellow leaf curl symptoms. *Phytopathology* **76**, 842.
- Brown, J.K. and Nelson, M.R. (1988). Transmission, host range, and virus-vector relationships of chino del tomate virus, a whitefly-transmitted geminivirus from Sinaloa, Mexico. *Plant Disease* **72**, 866-869.

- Brown, J.K., Ostrow, K.M., Idris, A.M. and Stenger, D.C. (1998). Molecular characterization and Koch's postulates for chino del tomato geminivirus with purified virions and full-length infectious clones. *Phytopathology* **88**, S11 (supplement).
- Brown, J.K., Ostrow, K.M., Idris, A.M. and Stenger, D.C. (2000). *Chino del tomate virus*: relationships to other begomoviruses and the identification of A component variants that affect symptom expression. *Phytopathology* **90**, 546-552.
- Gallegos, H.M.L. (1978). Enchinamiento del tomate. Page 119 In: Enfermedades de cultivos en el estado do Sinaloa. SARH, Sinaloa, Mexico. 213pp.
- Jiang, H., Hou, Y-M., Guzman, P. and Gilbertson, R.L. (1998). Complete nucleotide sequence of tomato leaf crumple geminivirus. *Phytopathology* **88**, S44 (supplement).
- Paplomatas, E.J., Patel, V.P., Hou, Y-M., Noueiry, A.O. and Gilbertson, R.L. (1994). Molecular characterization of a new sap-transmissible bipartite genome geminivirus infecting tomatoes in Mexico. *Phytopathology* 84, 1215-1224.